

Windvi User's Manual

Fabrice Popineau

Fabrice.Popineau@supelec.fr

March 1998

Contents

1	Introduction	1
1.1	Why another Windows dvi viewer ?	2
1.2	Features	2
2	Installation	3
2.1	The home of Windvi	3
2.2	Unpacking	3
2.3	Configuration	3
2.4	Generation of PK files	4
2.5	Type1 fonts	4
2.6	PostScript™ inclusions	4
3	Quick startup	5
4	Reference guide	5
4.1	Settings	5
4.2	Logging	5
4.3	Command line options	5
4.4	Mouse	7
4.5	Shortcut keys	8
5	FAQ	8
6	Known bugs and TODO list	9
A	Color naming	10

1 Introduction

1.1 Why another Windows dvi viewer ?

Note that throughout this document, when I say ‘Win32’, this means Windows 9x and Windows NT.

There are many previewers for dvi files under Win32. The most popular is probably Dviwin by H. Sendoukas. However it lacks some important features:

- the ability to recursively search directories for font files,
- the ability to use .vf files or display PostScript fonts.

Unfortunately, the Dviwin sources were never put into the public domain; on the other side of the fence, Xdvi under Unix has these features, is widely used and its sources are available. Xdvi(k) uses the kpathsea library to search directories, already used in the Web2c-win32 port of T_EX, so there was some interest in porting Xdvi(k) to Win32. As it turned out, this turned into far more than just a port, as X Windows is far from Win32. All the user interface and the graphical part has been rewritten.

For the future, when the base functionality of Xdvi(k) is available and stable under Win32, we can expect to add the interesting features of Dviwin to Windvi.

1.2 Features

The most important features of Windvi are as follows:

- monochrome or grey scale bitmaps (antialiasing) for fonts,
- easy navigation through the dvi file
 - page by page,
 - with different increments (by 5 or 10 pages at a time)
 - goto home, end, or any page within the document,
- different shrink factors to zoom page in and out,
- magnifying glass to show the page at the pixel level,
- use of .vf fonts
- display .pk .gf font files
- automatic generation of missing PK files even for PostScript fonts,
- tracking dvi file changes, and automatic reopening,
- understanding Omega extended dvi files,
- drag-and-drop file from the Windows shell explorer,
- some color support (foreground and background),
- real-time logging of background font generation,
- visualization of PostScript inclusions.

2 Installation

2.1 The home of Windvi

Windvi is part of the Web2C package for win32. You will find the whole Web2C package on any CTAN archive, for example:

<ftp://ftp.tex.ac.uk/pub/tex/systems/win32/web2c>

Beta versions of Web2C for Win32 are available from:

<ftp://ftp.eset-metz.fr/pub/TeX/win32-beta>

If you want to retrieve only the windvi distribution, you should get:

<ftp://ftp.tex.ac.uk/pub/tex/systems/win32/web2c/windvi.zip> for the standalone released version;

<ftp://ftp.eset-metz.fr/pub/TeX/win32-beta/windvixx.zip> for beta versions, xx being always as high as possible.

Announcements of beta version are made through the texk-win32 mailing-list. Subscriptions can be sent to <mailto:texk-win32-request@eset-metz.fr>. Send 'help' in the subject for more information.

2.2 Unpacking

Assuming you have retrieved one of the windvixx.zip files, you will have to unpack it at the <root> of some TDS conformant texmf tree like this one:

```
<root>/bin/win32
      /texmf/
            /dvips
            /tex
            /latex
            /web2c
```

- owindvi.exe, windvi.exe, mktex*.exe and gsftopk.exe go to bin/win32
- render.ps (used by gsftopk) goes to texmf/dvips
- texmf.cnf and mktex.cnf go to texmf/web2c.

In order not to overwrite the texmf.cnf and mktex.cnf files of people who are already using Web2C for win32, those files are distributed as texmf.xam and mktex.xam. You must rename them if you don't already have .cnf files.

Next, add <root>\bin\win32 to your PATH. This is done by modifying autoexec.bat under Windows 9x or the Control Panel/System under Windows NT.

2.3 Configuration

If you have respected the previous layout for the tree, ie the relative position of windvi.exe with respect to the texmf directory, you should not have anything more to configure than update your PATH environment variable.

If you want to use windvi.exe in another context, you may need to set the TEXMFMAIN and / or TEXMFCNF environment variable. TEXMFMAIN must point to the texmf directory and TEXMFCNF to the directory containing texmf.cnf.

2.4 Generation of PK files

The generation of PK files is under control of the Kpathsea library through the use of `mktexpk.exe`. You can choose the destination for generated files — the scheme is explained in detail in the Kpathsea documentation.

The main points are:

- any generated file will go in the same texmf tree as the one in which the font source has been found,
- if the source directory is not writable, the directory named by `VARTEXFONTS` will be used, so you had better set this variable to something meaningful in `texmf.cnf`
- `MT_FEATURES` can be set either in `mktex.cnf` or in your environment to control the naming of generated files: you can add `'dosnames'`, `'nomode'`, `'stripsupplier'`, `'striptypeface'`, `'fontmaps'` and `'varfonts'` to the features. Feel free to experiment with them by setting `MT_FEATURES` in the environment and checking with `'mktexnam cmr10'` for the result you want.

2.5 Type1 fonts

In order to use `gsftopk.exe` to generate PK files for Type1 fonts, you will need to install Ghostscript. Ghostscript is used in the background for computing the bitmaps. Setting it up is quite easy; assuming that Ghostscript has been installed in `c:\gstools\gs5.10` and fonts in `c:\gstools\fonts`, add to your environment:

```
set GS_PATH=c:\gstools\gs5.10\gswin32c.exe
set GS_LIB=c:\gstools\gs5.10;c:\gstools\fonts
```

After that, Windvi should be able to generate PK files for your Type1 fonts, providing you have the corresponding `vf` and `tfm` files. It is however wise to try `mktexnam.exe` on some of your fonts (`'mktexnam ptmr8r'` for example) to check that the fonts will be put at the right place.

2.6 PostScript™ inclusions

Windvi is able to display some PostScript™ inclusions, thanks to Ghostscript. What is understood :

- graphics bundle from L^AT_EX2e,
- `psfig` inclusions,
- some raw PostScript™ like the `pspicture` package.

The `bop / eop` mechanism is not (yet) understood, so do not expect the `draft` package to display anything. Also, not all material is processed by Ghostscript, so rotated text will not appear so when displayed.

For performance reasons, the magnifying glass will not render your `ps` inclusions.

For Windvi being able to call Ghostscript, you will need to put `gsd1132.dll` in your `PATH` and set `GS_LIB` :

```
set PATH=%PATH%;c:\gstools\gs5.10
set GS_LIB=c:\gstools\gs5.10;c:\gstools\fonts
```

3 Quick startup

Create a shortcut to Windvi on your desktop:

- click right button on the desktop,
- New Shortcut,
- browse and find `windvi.exe`
- OK.

Next, explore your computer, drag and drop some dvi file onto the Windvi icon. If everything goes well, Windvi will open your dvi file and choose a suitable shrink factor for the page to be fully displayed.

4 Reference guide

4.1 Settings

Current settings are saved each time you quit in a `windvi.cnf` file. This file is located under the HOME directory if this environment variable is set, or under `c:\` otherwise.

You can have a site-wide `windvi.cnf` file located in `$TEXMFCONF/windvi.cnf`. This file will be read before the user one and settings will be merged. **Not yet tested.**

4.2 Logging

Any error or informational message will make the log window pop up. Font generation and so on is displayed in real-time.

There is no way currently to avoid the pop-up feature.

4.3 Command line options

+<page> Specifies the first page to show. If + is given without a number, the last page is assumed; the first page is the default.

**-altfont ** Declares a default font to use when the font in the dvi file cannot be found. This is useful, for example, with PostScript fonts. Defaults to `cmr10`

-background <color> uses <color> as background color

-bg <color> same as `-background`

-debug <bitmask> If nonzero, prints additional information on standard output. The number is taken as a set of independent bits. The meaning of each bit follows. 1=bitmaps; 2=dvi translation; 4=pk reading; 8=batch operation; 16=events; 32=file opening; 64=PostScript communication; 128=Kpathsea stat(2) calls; 256=Kpathsea hash table lookups; 512=Kpathsea path definitions; 1024=Kpathsea path expansion; 2048=Kpathsea searches. To trace everything having to do with file searching and opening, use 4000. Some of these debugging options are actually provided by Kpathsea. See the 'Debugging' section in the Kpathsea manual.

- density <density>** Determines the density used when shrinking bitmaps for fonts. A higher value produces a lighter font. The default value is 40. For monochrome displays; for color displays, use -gamma. Same as -S.
- foreground <color>** Uses <color> as foreground color
- fg <color>** same as -foreground
- gamma <gamma>** Controls the interpolation of colors in the greyscale anti-aliasing color palette. Default value is 1.0. For $0 < \text{gamma} < 1$, the fonts will be lighter (more like the background), and for $\text{gamma} > 1$, the fonts will be darker (more like the foreground). Negative values behave the same way, but use a slightly different algorithm. For color and grayscale displays; for monochrome, see -density.
- geometry <string>** Specifies an initial X-Window geometry string.
- hush** Causes Windvi to suppress all suppressible warnings.
- hushchars** Causes Windvi to suppress warnings about references to characters which are not defined in the font.
- hushchecksums** Causes Windvi to suppress warnings about checksum mismatches between the dvi file and the font file.
- hushspecials** Causes Windvi to suppress warnings about special strings that it cannot process.
- keep** Sets a flag to indicate that Windvi should not move to the home position when moving to a new page. See also the 'k' keystroke.
- margins <dimen>** Specifies the size of both the top margin and side margin. This should be a decimal number optionally followed by " cm ", e.g. , 1.5 or 3cm , giving a measurement in inches or centimeters. It determines the "home" position of the page within the window as follows. If the entire page fits in the window, then the margin settings are ignored. If, even after removing the margins from the left, right, top, and bottom, the page still cannot fit in the window, then the page is put in the window such that the top and left margins are hidden, and presumably the upper left-hand corner of the text on the page will be in the upper left-hand corner of the window. Otherwise, the text is centered in the window. See also -sidemargin, -topmargin , and the keystroke ' M .'
- mfmode <mode-def>** Specifies a mode-def string, which can be used in searching for fonts. It is also passed to METAFONT during automatic creation of fonts.
- mgs <size>** Same as -mgs1 .
- mgs[n <size>]** Specifies the size of the window to be used for the "magnifying glass" for Button n . The size may be given as an integer (indicating that the magnifying glass is to be square), or it may be given in the form width \times height. Defaults are 200 \times 150, 400 \times 250, 700 \times 500, 1000 \times 800, and 1200 \times 1200.
- nogrey** Turns off the use of greyscale anti-aliasing when printing shrunken bitmaps.
- nomakepk** Turns off automatic generation of font files that cannot be found by other means.

- nopostscript** Turns off rendering of PostScript™ specials. Bounding boxes, if known, will be displayed instead. This option can also be toggled with the ‘ v ’ keystroke.
- noscan** Normally, when PostScript™ is turned on, Windvi will do a preliminary scan of the dvi file, in order to send any necessary header files before sending the PostScript code that requires them. This option turns off such prescanning. (It will be automatically be turned back on if Windvi detects any specials that require headers.)
- offsets** Specifies the size of both the horizontal and vertical offsets of the output on the page. This should be a decimal number optionally followed by “ cm ”, e.g. , 1.5 or 3cm , giving a measurement in inches or centimeters. By decree of the Stanford T_EX Project, the default T_EX page origin is always 1 inch over and down from the top-left page corner, even when non-American paper sizes are used. Therefore, the default offsets are 1.0 inch. See also `-xoffset` and `-yoffset` .
- p <dpi>** Defines the size of the fonts to use, in pixels per inch. The default value is 600.
- qpaper <papertype>** Specifies the size of the printed page. This may be of the form *width*×*height* (or *width*×*height*cm), where width is the width in inches (or cm) and height is the height in inches (or cm), respectively. There are also synonyms which may be used: us (8.5x11), usr (11x8.5), legal (8.5x14), foolscap (13.5x17), as well as the ISO sizes a1 - a7 , b1 - b7 , c1 - c7 , alr - a7r (a1 - a7rotated), etc. The default size is 21 x 29.7 cm.
- rv** Causes the page to be displayed with white characters on a black background, instead of vice versa.
- s <shrinkfactor>** Defines the initial shrink factor. The default value is to choose an appropriate factor.
- S <density>** Same as `-density`, q.v.
- sidemargin <dimen>** Specifies the side margin (see `-margins`).
- topmargin <dimen>** Specifies the top and bottom margins (see `-margins`).
- version** Displays the version number and exits.
- xoffset <dimen>** Specifies the size of the horizontal offset of the output on the page. See `-offsets` .
- yoffset <dimen>** Specifies the size of the vertical offset of the output on the page. See `-offsets` .

4.4 Mouse

left button pops up the small magnifying glass, as long as the button is down.

middle button pops up the medium magnifying glass, as long as the button is down.

right button pops up the big magnifying glass, as long as the button is down.

Shift + left button change the arrow cursor for a crossbar cursor and enter ‘setting home position’ mode. Home position is set when the button is released. Useful with the ‘Keep Home’ feature.

4.5 Shortcut keys

Home, '^' goto the upper left corner of the page. If margins are active, use them.

Next, 'n', Enter goto next page.

Prior, 'b', Backspace goto previous page.

Ctrl-Home, Ctrl-End goto first (resp. last) page.

Numpad +, Numpad - zoom in (resp. out).

Arrow keys, 'l', 'r', 'u', 'd' move in the corresponding direction (left, right, up, down).

'k' Normally when Windvi switches pages, it moves to the home position as well. The 'k' keystroke toggles a 'keep-position' flag which, when set, will keep the same position when moving between pages.

'M' set margins at the cursor.

't' change tick units (cursor position).

5 FAQ

1. **Windvi opens and closes immediately.** You should check your installation:

- did you rename the .xam files into .cnf files ?
- have you .cnf files ?
- what mktexnam cmr10 does report ?
- in case of trouble, do the following:

```
set KPATHSEA_DEBUG_OUTPUT=err.log
mktexnam --debug=1536 cmr10
```

and send the err.log file to <mailto:Fabrice.Popineau@supelec.fr>

2. **Windvi is stuck with the hour glass cursor, displaying some font name in the status bar.**

Currently, when kpathsea is generating fonts, Windvi is blocked. You can't see any progress status. This is because kpathsea-based programs are inherently console mode programs and Windvi is a GUI program. If it takes too long time and the status bar doesn't change, there is the chance of an improper installation. Check with the previous question. In this case, you will need to kill Windvi by hand, and any process named mf.exe or mktexpk.exe too.

3. In any case, check in the Help -> View Log File window for any strange messages and report them.

4. **I'm using MiKTeX. Can I use Windvi ?** Yes. But even if the layout tree for MiKTeX is TDS-conformant, it is not quite the same as the layout for Web2C. This what Jody Klymak <mailto:jklymak@apl.washington.edu> did :

I got windvi running under Windows NT using the following steps. I'm sure the steps are very similar on a Win95 machine. They are essentially the same as Fabrice's instructions. It seems to handle fonts correctly. If anyone has a better way to do it, let me know. I'm no NT wiz.

Cheers, Jody

Installing windvi under MikTeX under WinNT 4.0 Assuming you are set up like I am:

MikTeX in c:\texmf and GSTools in c:\gstools

- Make a directory c:\texmf\windvi
- unpack windvi.zip in this directory
- Put *.exe in c:\texmf\miktex\bin
- Put render.ps in c:\texmf\dvips
- Under the system control panel click the *Environment tab* and add:
 TEXMFCONF c:\texmf\windvi
 TEXMFMAIN c:\texmf
 path c:\gstools\gs5.10
 GS_LIB c:\gstools\gs5.10;c:\gstools\gs5.10\fonts
- Edit c:\texmf\windvi\texmf.cnf
 - change TEXMFMAIN = c:/texmf
 - change VARTEXFONTS = c:/texmf/fonts

Read carefully the kpathsea documentation, and try your settings with the mktexnam.exe and kpsewhich.exe programs. Report any settings needed to enhance this FAQ section.

6 Known bugs and TODO list

- Windvi is uninterruptible during font loading;
- We need to add more support for 'specials';
- There are probably some other bugs left.

A Color naming

You can use 'rgb:rr/gg/bb/' where rr, gg and bb are the hexadecimal (00-FF) intensities of red, green and blue component, or any of the following symbolic names :

snow	MidnightBlue	MediumSpringGreen	red
GhostWhite	navy	GreenYellow	HotPink
WhiteSmoke	NavyBlue	LimeGreen	DeepPink
gainsboro	CornflowerBlue	YellowGreen	pink
FloralWhite	DarkSlateBlue	ForestGreen	LightPink
OldLace	SlateBlue	OliveDrab	PaleVioletRed
linen	MediumSlateBlue	DarkKhaki	maroon
AntiqueWhite	LightSlateBlue	khaki	MediumVioletRed
PapayaWhip	MediumBlue	PaleGoldenrod	VioletRed
BlanchedAlmond	RoyalBlue	LightGoldenrodYellow	magenta
bisque	blue	LightYellow	violet
PeachPuff	DodgerBlue	yellow	plum
NavajoWhite	DeepSkyBlue	gold	orchid
moccasin	SkyBlue	LightGoldenrod	MediumOrchid
cornsilk	LightSkyBlue	goldenrod	DarkOrchid
ivory	SteelBlue	DarkGoldenrod	DarkViolet
LemonChiffon	LightSteelBlue	RosyBrown	BlueViolet
seashell	LightBlue	IndianRed	purple
honeydew	PowderBlue	SaddleBrown	MediumPurple
MintCream	PaleTurquoise	sienna	thistle
azure	DarkTurquoise	peru	gray0
AliceBlue	MediumTurquoise	burlywood	grey0
lavender	turquoise	beige	DarkGrey
LavenderBlush	cyan	wheat	DarkGray
MistyRose	LightCyan	SandyBrown	DarkBlue
white	CadetBlue	tan	DarkCyan
black	MediumAquaMarine	chocolate	DarkMagenta
DarkSlateGray	aquaMarine	firebrick	DarkRed
DarkSlateGrey	DarkGreen	brown	LightGreen
DimGray	DarkOliveGreen	DarkSalmon	
DimGrey	DarkSeaGreen	salmon	
SlateGray	SeaGreen	LightSalmon	
SlateGrey	MediumSeaGreen	orange	
LightSlateGray	LightSeaGreen	DarkOrange	
LightSlateGrey	PaleGreen	coral	
gray	SpringGreen	LightCoral	
grey	LawnGreen	tomato	
LightGrey	green	OrangeRed	
LightGray	chartreuse	red	