

Back referencing from bibliographical citations*

David Carlisle and Sebastian Rahtz

2012/07/24

Documentation overview for `hyperref`

The documentation for package `hyperref` consists of several files:

Manual The **USER MANUAL** (also available as HTML).

README The **README** file (also available as text file). Here information is collected that is not yet in the manual: new features, package compatibility, limitations, known problems, ...

ChangeLog This file records the version history (also available as text file).

Options This file provides a short option summary.

Bookmark talk, slides Slides for the talk “PDF information and navigation elements with `hyperref`, `pdfTeX` and `thumbpdf`” at EuroTeX 1999.

Bookmark talk, paper The paper version of the talk.

Source code documentation:

`hyperref.dtx` This is the source code documentation for `hyperref`.

 **`backref.dtx`** “Back referencing from bibliographical citations” (this file)

`nameref.dtx` “Section name references in L^AT_EX”

Contents

1	Introduction	2
2	Usage	2
2.1	Options	2
2.1.1	Options for type of back references	2
2.1.2	Language options	3
2.1.3	Other options	3
2.2	Detecting the end of a bibliography entry	3
2.3	Formatting of the back references list	3
2.3.1	Formatting hook <code>\backref</code>	4
2.3.2	Formatting hook <code>\backrefalt</code>	4
2.3.3	Refinement <code>\backrefentrycount</code>	5

*This file has version number v1.37, last revised 2012/07/24.

3	The macros	5
3.1	Package identification	5
3.2	Options	5
3.2.1	Option verbose	5
3.2.2	Options for way of working	5
3.2.3	Language options	6
3.2.4	Process options	8
3.3	The bibliography	8
3.4	Reading .brf file	9
3.5	Initialization	13
3.6	Collecting back cite informations	14
3.7	Rerun warning	14
4	Index	15

1 Introduction

2 Usage

2.1 Options

The supported options are given as package options. Few options (e.g. `verbose`, `enable`, `disable`) can be changed after the package is loaded by the macro `\backrefsetup`, e.g.:

```
\usepackage[verbose]{backref}
\backrefsetup{verbose=false}
```

This macro is available since version 2012/07/24 v1.37.

2.1.1 Options for type of back references

In short the following options set the type of back references. Default is option `pageref`.

<code>ref</code>	section number
<code>pageref</code>	page number
<code>hyperref</code>	section number as hyper link
<code>hyperpageref</code>	page number as hyper link

The options that start with `hyper` are intended for the use with package `hyperref`. In this case package `backref` will be loaded automatically if the `hyperref` options `backref` or `pagebackref` are given. Package `hyperref` then loads package `backref` with the appropriate option:

<u>hyperref option</u>	<u>backref option set by hyperref</u>
<code>backref</code>	<code>hyperref</code>
<code>backref=section</code>	<code>hyperref</code>
<code>backref=slide</code>	<code>hyperref</code>
<code>backref=page</code>	<code>hyperpageref</code>
<code>pagebackref</code>	<code>hyperpageref</code>

2.1.2 Language options

Currently supported options are `english` (`american`, `australian`, `british`, `canadian`, `newzealand`, `UKenglish`, `USenglish`), `german` (`ngerman`, `austrian`, `naustrian`), `french` (`acadian`, `canadien`, `frenchb`, `francais`), `spanish`, and `brazil` (`brazilian`). Default is `english`.

2.1.3 Other options

verbose: A message is written into the `.aux` file for each reference that is found for back citing.

enable, disable: If a citation should not be back cited, then the recording can be turned off by option `disable` and enabled again afterwards, e.g.:

```
\bookmarksetup{disable}\cite{...}\bookmarksetup{enable}
```

Both options are added in version 2012/07/24 v1.37.

2.2 Detecting the end of a bibliography entry

Package `backref` has to be able to detect the end of an entry in the bibliography, therefore each `\bibitem` entry must be ended by an empty line (or a `\par` token).

Example:

```
\begin{thebibliography}{9}
\bibitem[bib:abc] First entry.

\bibitem[bib:foo] Second entry.

\end{thebibliography}
```

Then package `backref` can automatically add hooks for the back references list at the end of the entries.

`\backrefparscanfalse`
`\backrefparscantrue`

Sometimes it is not appropriate if the entry is read as argument. For example, catcode changes for verbatim stuff do not have the desired effect. Therefore the scan for the `\par` token can be disabled by `\backrefparscanfalse` before `\bibitem` and enabled by `\backrefparscantrue` afterwards.

`\backrefprint`

If the scan for the end of the entry is disabled, then package `backref` does not know where to put the back references list. The list is printed by the macro `\backrefprint`, thus just call it at the right place. Example:

```
\backrefparscanfalse % disable scan for entry ending
\bibitem[...]{...}
... \verb|...| ... % potentially dangerous stuff
... \url{...} ...
\backrefprint % print back reference list here
\backrefparscantrue % enable scan again
```

2.3 Formatting of the back references list

The back references list is separated from the entry by `\newblock`, if the used bibliography package supports this. The package options control the kind of back references (page numbers, sections numbers), whereas the hooks control the formatting.

There are two hooks `\backref` and a new hook `\backrefalt`, available since version 1.21 of package `backref`. The former one is enabled by default.

2.3.1 Formatting hook `\backref`

Macro `\backref` has a comma separated list of backref references as first and only argument. With `hyperref` options only this list will be printed. Without `hyperref` there is an introductory text, controlled by macros `\backrefpagesname` or `\backrefsectionsname`.

2.3.2 Formatting hook `\backrefalt`

`\backrefalt` is a new interface since version 1.21 of package `backref`. It takes four arguments:

1. Number of citations without dupes.
2. Back references list without dupes.
3. Number of all citations (with dupes).
4. Back reference list with all entries (with dupes).

The latter options consider equal entries as one entry. Now `\backrefalt` can easily be defined with text that depends on the number of citations, for example:

```
\usepackage[backref]{backref}
\renewcommand*{\backref}[1]{% for backref < 1.33 necessary
\renewcommand*{\backrefalt}[4]{%
\ifcase #1 %
  No citations.%
\or
  One citation in section #2.%
\else
  #1 citations in sections #2.%
\fi
}
```

The separation between the list entries are controlled by the following macros:

- `\backrefsep`: inserted between entries except for the next cases, default is “`, \square ”.`
- `\backreftwosep`: inserted between entries in a list of two entries, default is “ `\square and~”.`
- `\backreflastsep`: inserted between the last two entries of a list with more than two entries, default is “ `\square and~”.`

Examples:

```
\langle entry1 \rangle
\langle entry1 \rangle \backreftwosep \langle entry2 \rangle
\langle entry1 \rangle \backrefsep \langle entry2 \rangle \backreflastsep \langle entry3 \rangle
```

Since version 1.33 it is not necessary to redefine `pages`, it is automatically disabled if defined.

2.3.3 Refinement `\backrefentrycount`

Since version 1.33 the entries of the distinct list of interface `\backrefalt` are wrapped in `\backrefentrycount`. The macro is called with two arguments. The first is the backref entry and the second one the citation count of this entry. As default the macro passes the first argument through and ignores the count argument. But it can be redefined, e.g.

```
\renewcommand*{\backrefalt}[4]{...}% see above
\renewcommand*{\backrefentrycount}[2]{%
  #1%
  \ifnum#2>1 %
    ~(#2)%
  \fi
}
```

In case of duplicates, the distinct entry is appended by the number of citations in parentheses.

3 The macros

Internal command names of this package start with `\BR@`, commands, that store the original meaning of commands, which will be redefined, are prefixed with `\BRorg@`.

3.1 Package identification

```
1 (*package)
```

3.2 Options

```
2 \RequirePackage{kvoptions}[2011/06/30]
3 \RequirePackage{kvsetkeys}[2009/07/30]
4 \SetupKeyvalOptions{%
5   family=backref,%
6   prefix=BR@,%
7 }
```

```
\backrefsetup
```

```
8 \newcommand*{\backrefsetup}{\kvsetkeys{backref}}
```

3.2.1 Option verbose

If package `hyperref` is loaded, then its setting is used as default for the verbose switch.

```
9 \DeclareBoolOption{%
10 \ltx@ifundefined{ifHy@verbose}{%
11   false%
12 }{%
13   \ifx\ifHy@verbose\iftrue true\else false\fi
14 }%
15 }{verbose}
```

3.2.2 Options for way of working

What is printed depends on how the 3 available items of information are used (page number, section number, label).

```

16 \long\def\page@backref#1#2#3{#1}
17 \long\def\section@backref#1#2#3{#2}
18 \long\def\hyper@section@backref#1#2#3{\hyperlink{#3}{#2}}
19 \long\def\hyper@page@backref#1#2#3{\hyperlink{page.#1}{#1}}

```

Now the options follows, that can be used without package hyperref.

```

20 \DeclareVoidOption{pageref}{%
21   \def\backref{\backrefpagesname\ }%
22   \let\backrefxxx\page@backref
23 }
24 \DeclareVoidOption{ref}{%
25   \def\backref{\backrefsectionsname\ }%
26   \let\backrefxxx\section@backref
27 }

```

Set up back-referencing to be hyper links, by page or section.

```

28 \DeclareVoidOption{hyperref}{%
29   \def\backref{\let\backrefxxx\hyper@section@backref
30 }
31 \DeclareVoidOption{hyperpageref}{%
32   \def\backref{\let\backrefxxx\hyper@page@backref
33 }

```

Recording the back references in the auxiliary file can be enabled and disabled by the following options.

```

34 \DeclareBoolOption[true]{enable}
35 \DeclareComplementaryOption{disable}{enable}

```

3.2.3 Language options

```

36 \def\backrefenglish{%
37   \def\backrefpagesname{pages}%
38   \def\backrefsectionsname{sections}%
39   \def\backrefsep{, }%
40   \def\backreftwosep{ and~}%
41   \def\backreflastsep{, and~}%
42 }
43 \def\backrefgerman{%
44   \def\backrefpagesname{Seiten}%
45   \def\backrefsectionsname{Abschnitte}%
46   \def\backrefsep{, }%
47   \def\backreftwosep{ und~}%
48   \def\backreflastsep{ und~}%
49 }
50 \def\backreffrench{%
51   \def\backrefpagesname{pages}%
52   \def\backrefsectionsname{sections}%
53   \def\backrefsep{, }%
54   \def\backreftwosep{ et~}%
55   \def\backreflastsep{ et~}%
56 }
57 \def\backrefspanish{%
58   \def\backrefpagesname{p'aginas}%
59   \def\backrefsectionsname{secciones}%
60   \def\backrefsep{, }%
61   \def\backreftwosep{ y~}%
62   \def\backreflastsep{ y~}%
63 }
64 \def\backrefbrazil{%

```

```

65 \def\backrefpagesname{p`aginas}%
66 \def\backrefsectionsname{se`c`oes}%
67 \def\backrefsep{,}%
68 \def\backreftwosep{ e~}%
69 \def\backreflastsep{ e~}%
70 }
71 \def\backrefafrikaans{%
72 \def\backrefpagesname{bladsye}%
73 \def\backrefsectionsname{afdelings}%
74 \def\backrefsep{,}%
75 \def\backreftwosep{ en~}%
76 \def\backreflastsep{ en~}%
77 }%

```

Instead of package babel's definition of `\addto` the implementation of package `varioref` is used. Additionally argument `#1` is checked for `\relax`.

```

78 \def\BR@addto#1#2{%
79 #2%
80 \@temptokena{#2}%
81 \ifx#1\relax
82 \let#1\@empty
83 \fi
84 \ifx#1\@undefined
85 \edef#1{\the\@temptokena}%
86 \else
87 \toks@\expandafter{#1}%
88 \edef#1{\the\toks@\the\@temptokena}%
89 \fi
90 \@temptokena{ }\toks@\@temptokena
91 }
92 \def\BR@DeclareLang#1#2{%
93 \begingroup
94 \edef\x##1##2{%
95 \noexpand\ifx##2\relax
96 \errmessage{No definitions for language '#2' found!}%
97 \noexpand\fi
98 \endgroup
99 \noexpand\DeclareVoidOption{#1}{%
100 \noexpand\BR@addto{\noexpand##1}{\noexpand##2}%
101 }%
102 }%
103 \expandafter\x\csname extras#1\expandafter\endcsname
104 \csname backref#2\expandafter\endcsname
105 }
106 \BR@DeclareLang{english}{english}
107 \BR@DeclareLang{american}{english}
108 \BR@DeclareLang{australian}{english}
109 \BR@DeclareLang{british}{english}
110 \BR@DeclareLang{canadian}{english}
111 \BR@DeclareLang{newzealand}{english}
112 \BR@DeclareLang{UKenglish}{english}
113 \BR@DeclareLang{USenglish}{english}
114 \BR@DeclareLang{german}{german}
115 \BR@DeclareLang{ngerman}{german}
116 \BR@DeclareLang{austrian}{german}
117 \BR@DeclareLang{naustrian}{german}
118 \BR@DeclareLang{french}{french}
119 \BR@DeclareLang{acadian}{french}

```

```

120 \BR@DeclareLang{canadien}{french}
121 \BR@DeclareLang{frenchb}{french}
122 \BR@DeclareLang{français}{french}
123 \BR@DeclareLang{spanish}{spanish}
124 \BR@DeclareLang{brazil}{brazil}
125 \BR@DeclareLang{brazilian}{brazil}
126 \BR@DeclareLang{afrikaans}{afrikaans}

```

Default is the english version:

```
127 \backrefenglish
```

3.2.4 Process options

```

128 \backrefsetup{pageref}
129 \ProcessKeyvalOptions*

```

\BR@DisableOption

```

130 \def\BR@DisableOption#1{%
131   \DisableKeyvalOption[%
132     action=warning,%
133     package=backref,%
134   ]{backref}-{#1}%
135 }

136 \BR@DisableOption{ref}
137 \BR@DisableOption{pageref}
138 \BR@DisableOption{hyperref}
139 \BR@DisableOption{hyperpageref}

```

3.3 The bibliography

\ifbackrefparscan

```

140 \newif\ifbackrefparscan
141 \backrefparscantrue

```

\ifBR@BackrefAlt

```
142 \newif\ifBR@BackrefAlt
```

\BR@bibitem

```

143 \def\BR@bibitem{%
144   \ifbackrefparscan
145     \expandafter\@ifnextchar\expandafter[\expandafter
146       \BR@@@bibitem\expandafter\BR@@bibitem
147     \else
148       \expandafter\@ifnextchar\expandafter[\expandafter
149         \BR@@@bibitem\expandafter\BR@@@bibitem
150       \fi
151   }

152 \def\BR@@bibitem[#1]#2#3\par{%
153   \let\backrefprint\BR@backrefprint
154   \BRorg@bibitem[{#1}]{#2}#3%
155   \BR@backref{#2}%
156 }%
157 \def\BR@@@bibitem#1#2\par{%
158   \let\backrefprint\BR@backrefprint
159   \BRorg@bibitem{#1}#2%
160   \BR@backref{#1}%
161 }

```

```

162 \def\BR@@@bibitem[#1]#2{%
163   \def\backrefprint{\BR@backref{#2}}%
164   \BRorg@bibitem[{#1}]{#2}%
165 }
166 \def\BR@@@bibitem#1{%
167   \def\backrefprint{\BR@backref{#1}}%
168   \BRorg@bibitem{#1}%
169 }
170 \def\BR@backrefprint{%
171   \PackageError{backref}{%
172     \string\backrefprint\space is only available after \string\bibitem
173     \MessageBreak
174     with setting \string\backrefparscanfalse
175   }\@ehc
176 }
177 \let\backrefprint\BR@backrefprint
178 \def\BR@backref#1{%
179   \newblock
180   \begingroup
181     \csname @safe@activestrue\endcsname
182     \expandafter\providecommand\csname brc@#1\endcsname{0}%
183     \expandafter\providecommand\csname brcd@#1\endcsname{0}%
184     \csname @safe@activesfalse\expandafter\endcsname
185     \ifBR@BackrefAlt
186       \ifx\backrefentrycount\BR@BackrefEntryCountUnused
187         \else
188           \BR@PopulateEntryCount{#1}%
189         \fi
190       \expandafter\backrefalt\csname brc@#1\expandafter\endcsname
191         \csname brl@#1\expandafter\endcsname
192         \csname brcd@#1\expandafter\endcsname
193         \csname brld@#1\endcsname
194       \else
195         \expandafter\backref\csname br@#1\expandafter\endcsname
196       \fi
197     \endgroup
198   \par
199 }
200 \@ifundefined{newblock}{\def\newblock{\par}}{}
201 \let\BR@Unused\@empty
202 \def\BR@BackrefAltUnused#1#2#3#4{\BR@Unused}
203 \@ifundefined{backrefalt}{%
204   \let\backrefalt\BR@BackrefAltUnused
205 }{}
206 \def\BR@BackrefEntryCountUnused#1#2{\BR@Unused#1}
207 \@ifundefined{backrefentrycount}{%
208   \let\backrefentrycount\BR@BackrefEntryCountUnused
209 }{}

```

3.4 Reading .brf file

`\backcite` The file `\jobname.brf` collects the back cite informations as calls of `\backcite` with the informations in the arguments.

The first argument of macro `\backcite` is the citation label, the second parameter contains the page number (`\thepage`), the current label of the citation (`\@currentlabel`), and the current anchor name (`\@currentHref`). Example for a

citation at the first page in second section:

```
\backcite {bib:abc}{1}{2}{section.2}}
```

While the file `\jobname.brf` is read, the informations are collected and stored in macros whose names are build by the citation label `<label>`:

<code>\br@<label></code>	list, entries separated by comma without dupes
<code>\brc@<label></code>	number of citations without dupes
<code>\brl@<label></code>	backref list without dupes
<code>\brcd@<label></code>	number of all citations (with dupes)
<code>\brld@<label></code>	backref list with all entries (with dupes)

What are “dupes”? An instance: you have three references to an entry in the bibliography on the first page:

```
\backcite {bib:abc}{1}{1}{section.1}
\backcite {bib:abc}{1}{1}{section.1}
\backcite {bib:abc}{1}{2}{section.2}}
```

Then the whole backref list with option `pageref` would print, e.g.:

Entry for `bib:abc`. Cited on pages 1, 1, 1.

Without dupes the entries with the same page number would be removed, e.g.:

Entry for `bib:abc`. Cited on page 1.

Also the third entry is removed, because it has the same page number. For the comparison only these pieces of information are considered that will be used later by `\backrefxxx`. With option `pageref` macro `\backrefxxx` becomes `\page@backref` that throws away the second and third argument and only uses the first argument with the page number. To be more precise, the first expansion of `\backrefxxx` is used in comparison. If some arguments are used here, but later omitted, then this will not be detected.

`\backrefxxxdupe` With option `hyperref` you will get two entries in the following example because the second entry differs in the link information, so the result will be the same section number, but as different links.

```
\backref {bib:abc}{1}{1}{section.1}
\backref {bib:abc}{1}{1}{equation.1}}
```

Macro `\backrefxxxdupe` will be used in the comparison test if it is defined. Thus you can provide a definition in this case as follows:

```
\newcommand*{\backrefxxxdupe}[3]{#2}
```

Then only the section number is interpreted, but not the anchor name.

To avoid same entries, it is checked before, whether the entry already exists. Only the information needed by `\backrefxxx` is compared.

```
210 \def\backcite#1#2{%
211   \@for\x:=#1\do{%
212     \begingroup
213     \csname @safe@activetrue\endcsname
214     \edef\x{\endgroup
215       \def\noexpand\x{\expandafter\@firstofone\x\@empty}%
216     }%
217     \x
```

Now macro \x contains the citation label name.

```
218 \expandafter\ifx\csname br@\x\endcsname\relax
```

Initialization, fill in the first entry.

```
219 \expandafter\protected@xdef\csname br@\x\endcsname{%
220 \protect\backrefxxx#2%
221 }%
222 \ifBR@BackrefAlt
223 \global\expandafter\let\csname brl@\x\expandafter\endcsname
224 \csname br@\x\endcsname
225 \global\expandafter\let\csname brld@\x\expandafter\endcsname
226 \csname br@\x\endcsname
227 \expandafter\gdef\csname brc@\x\endcsname{1}%
228 \expandafter\gdef\csname brcd@\x\endcsname{1}%
229 \fi
230 \else
```

Fill in further entry. But check for dupe first.

```
231 \begingroup
232 \@ifundefined{backrefxxxdupe}{-}{\let\backrefxxx\backrefxxxdupe}%
233 \expandafter\def\expandafter\reserved@a\expandafter{%
234 \backrefxxx#2%
235 }%
236 \let\BRorg@backrefxxx\backrefxxx
237 \global\let\BR@found=N%
238 \long\def\backrefxxx##1##2##3{%
239 \expandafter\def\expandafter\reserved@b\expandafter{%
240 \BRorg@backrefxxx{##1}{##2}{##3}%
241 }%
242 \ifx\reserved@a\reserved@b
243 \global\let\BR@found=Y%
244 \fi
245 }%
246 \setbox\@tempboxa\hbox{\csname br@\x\endcsname}%
247 \endgroup
248 \let\backrefsep\relax
249 \def\backreftwosep{\backrefsep}%
250 \def\backreflastsep{\backrefsep}%
251 \if N\BR@found
252 \expandafter\protected@xdef\csname br@\x\endcsname{%
253 \csname br@\x\endcsname, %
254 \protect\backrefxxx#2%
255 }%
256 \ifBR@BackrefAlt
257 \expandafter\protected@xdef\csname brl@\x\endcsname{%
258 \csname brl@\x\endcsname
259 \ifnum\@nameuse{brc@\x}=1 %
260 \noexpand\backreftwosep
261 \else
262 \noexpand\backreflastsep
263 \fi
264 \protect\backrefxxx#2%
265 }%
266 \count@=\@nameuse{brc@\x}\relax
267 \advance\count@ by 1 %
268 \expandafter\xdef\csname brc@\x\endcsname{\the\count@}%
269 \fi
270 \fi
```

```

271 \ifBR@BackrefAlt
272 \expandafter\protected@xdef\csname brld@\x\endcsname{%
273 \csname brld@\x\endcsname
274 \ifnum\@nameuse{brcd@\x}=1 %
275 \noexpand\backrefwosep
276 \else
277 \noexpand\backreflastsep
278 \fi
279 \protect\backrefxxx#2%
280 }%
281 \count@=\@nameuse{brcd@\x}\relax
282 \advance\count@ by 1 %
283 \expandafter\xdef\csname brcd@\x\endcsname{\the\count@}%
284 \fi
285 \fi
286 }%
287 }

```

\BR@PopulateEntryCount

```

288 \def\BR@PopulateEntryCount#1{%
289 \begingroup
290 \toks@{}%
291 \def\backrefsep{%
292 \toks@\expandafter{\the\toks@\backrefsep}%
293 }%
294 \def\backrefwosep{%
295 \toks@\expandafter{\the\toks@\backrefwosep}%
296 }%
297 \def\backreflastsep{%
298 \toks@\expandafter{\the\toks@\backreflastsep}%
299 }%
300 \def\protect{}%
301 \let\BR@backrefxxx\backrefxxx
302 \let\backrefxxx\BR@PopulateBackrefxxx
303 \def\BR@name{#1}%
304 \csname brl@#1\endcsname
305 \expandafter\xdef\csname brl@#1\endcsname{\the\toks@}%
306 \endgroup
307 }

```

\BR@PopulateBackrefxxx

```

308 \def\BR@PopulateBackrefxxx#1#2#3{%
309 \expandafter\def\expandafter\BR@tempa\expandafter{%
310 \BR@backrefxxx{#1}{#2}{#3}%
311 }%
312 \begingroup
313 \count@=\z@
314 \def\backrefsep{}%
315 \def\backrefwosep{}%
316 \def\backreflastsep{}%
317 \let\backrefxxx\BR@@PopulateBackrefxxx
318 \csname brld@\BR@name\endcsname
319 \toks\tw@={\backrefxxx{#1}{#2}{#3}}%
320 \edef\x{\endgroup
321 \toks@{%
322 \the\toks@
323 \noexpand\backrefentrycount{%

```

```

324     \the\toks\tw@
325     }{\the\count@}%
326   }%
327 }%
328 \x
329 }

```

\BR@@PopulateBackrefxxx

```

330 \def\BR@@PopulateBackrefxxx#1#2#3{%
331   \expandafter\def\expandafter\BR@tempb\expandafter{%
332     \BR@backrefxxx{#1}{#2}{#3}%
333   }%
334   \ifx\BR@tempa\BR@tempb
335     \advance\count@\@ne
336   \fi
337 }

```

3.5 Initialization

```

338 \def\@currentHref{}
339 \AtBeginDocument{%
340   \let\BRorg@bibitem\bibitem
341   \let\bibitem\BR@bibitem
342   \let\BRorg@thebibliography\thebibliography
343   \def\thebibliography{%
344     \BR@starttoc
345     \BRorg@thebibliography
346   }%
347   \@ifundefined{NAT@parse}{%
348     \global\let\BRorg@citex\@citex
349     \global\let\@citex\BR@citex
350   }{%
351     \@ifpackageloaded{hyperref}{%
352       \def\hyper@natlinkstart#1{\Hy@backout{#1}}%
353     }%
354     \PackageInfo{backref}{** backref set up for natbib **}%
355   }%
356 }

```

\BR@starttoc

```

357 \def\BR@starttoc{%
358   \ifx\backrefalt\BR@BackrefAltUnused
359     \global\BR@BackrefAltfalse
360   \else
361     \global\BR@BackrefAlttrue
362   \fi
363   \begingroup
364   \makeatletter
365   \@input{\jobname.brf}%
366   \if@filesw
367     \@ifundefined{tf@brf}{%
368       \expandafter\newwrite\csname tf@brf\endcsname
369     }{%
370       \@ifundefined{tf@brf@open}{%
371         \BR@RerunFileCheck
372         \immediate\openout\csname tf@brf\endcsname\jobname.brf\relax
373       \gdef\tf@brf@open{}%

```

```

374   }{}%
375   \fi
376   \@nobreakfalse
377   \endgroup
378 }

```

3.6 Collecting back cite informations

`\BR@citex`

```

379 \def\BR@citex[#1]#2{%
380   \BRorg@citex[{#1}]{#2}%
381   \Hy@backout{#2}%
382 }

```

Grr. for chicago.sty

```

383 \@ifpackageloaded{chicago}{%
384   \let\BRorg@citedatax\@citedatax
385   \def\@citedatax[#1]#2{%
386     \BRorg@citedatax[{#1}]{#2}%
387     \Hy@backout{#2}%
388   }%
389 }{}

```

`\Hy@backout`

```

390 \def\Hy@backout#1{%
391   \@bsphack
392   \ifBR@enable
393     \ifBR@verbose
394       \PackageInfo{backref}{Back cite \string'#1\string'}%
395       \fi
396       \ifx\@empty\@currentlabel
397         \protected@write\@auxout{}{%
398           \string\@writefile{brf}{%
399             \string\backcite{#1}{\thepage}{(document)}{Doc-Start}}%
400         }%
401       }%
402     \else
403       \protected@write\@auxout{}{%
404         \string\@writefile{brf}{%
405           \string\backcite{#1}{\thepage}{\@currentlabel}{\@currentHref}}%
406         }%
407       }%
408     \fi
409   \else
410     \ifBR@verbose
411       \PackageInfo{backref}{Disabled back cite \string'#1\string'}%
412     \fi
413   \fi
414   \@esphack
415 }

```

3.7 Rerun warning

`\BR@RerunFileCheck` The following code computes a MD5 sum and the file size of the .brf file at the begin and the end of the document and compares them. A rerun warning is given, if they do not match. This method requires pdf_TE_X or Lua_TE_X. The method fails,

<code>\BR@backrefprint</code> ..			
. 153, 158, 170, 177			
<code>\BR@backrefxxx</code> ...			
.... 301, 310, 332			
<code>\BR@bibitem</code> ..	143, 341		
<code>\BR@citex</code>	349, 379		
<code>\BR@DeclareLang</code> ..			
.. 92, 106, 107,			
108, 109, 110,			
111, 112, 113,			
114, 115, 116,			
117, 118, 119,			
120, 121, 122,			
123, 124, 125, 126			
<code>\BR@DisableOption</code>			
..... 130,			
136, 137, 138, 139			
<code>\BR@found</code> 237, 243, 251			
<code>\BR@name</code> ... 303, 318			
<code>\BR@PopulateBackrefxxx</code>	302, 308		
<code>\BR@PopulateEntryCount</code>	188, 288		
<code>\BR@RerunFileCheck</code>			
..... 371, 416			
<code>\BR@starttoc</code> . 344, 357			
<code>\BR@tempa</code> ... 309, 334			
<code>\BR@tempb</code> ... 331, 334			
<code>\BR@Unused</code> 201, 202, 206			
<code>\BRorg@backrefxxx</code> .			
..... 236, 240			
<code>\BRorg@bibitem</code> 154,			
159, 164, 168, 340			
<code>\BRorg@citedatax</code> ..			
..... 384, 386			
<code>\BRorg@citex</code> . 348, 380			
<code>\BRorg@thebibliography</code>	342, 345		
C			
<code>\c</code>	66		
<code>\closeout</code>	421		
<code>\count@</code> ... 266, 267,			
268, 281, 282,			
283, 313, 325, 335			
<code>\csname</code> 103, 104, 181,			
182, 183, 184,			
190, 191, 192,			
193, 195, 213,			
218, 219, 223,			
224, 225, 226,			
227, 228, 246,			
252, 253, 257,			
258, 268, 272,			
273, 283, 304,			
305, 318, 368, 372			
D			
<code>\DeclareBoolOption</code> 9, 34		190, 191, 192,	
<code>\DeclareComplementaryOption</code> ..	35	195, 215, 218,	
<code>\DeclareVoidOption</code> .		219, 223, 225,	
. 20, 24, 28, 31, 99		227, 228, 233,	
<code>\def</code>	16, 17, 18,	239, 252, 257,	
19, 21, 25, 29,		268, 272, 283,	
32, 36, 37, 38,		292, 295, 298,	
39, 40, 41, 43,		305, 309, 331, 368	
44, 45, 46, 47,			
48, 50, 51, 52,			
53, 54, 55, 57,			
58, 59, 60, 61,			
62, 64, 65, 66,			
67, 68, 69, 71,			
72, 73, 74, 75,			
76, 78, 92, 130,			
143, 152, 157,			
162, 163, 166,			
167, 170, 178,			
200, 202, 206,			
210, 215, 233,			
238, 239, 249,			
250, 288, 291,			
294, 297, 300,			
303, 308, 309,			
314, 315, 316,			
330, 331, 338,			
343, 352, 357,			
379, 385, 390, 417			
<code>\DisableKeyvalOption</code> 131			
<code>\do</code>	211		
E			
<code>\edef</code> 85, 88, 94, 214, 320			
<code>\else</code> 13, 86, 147, 187,			
194, 230, 261,			
276, 360, 402, 409			
<code>\endcsname</code>			
. 103, 104, 181,			
182, 183, 184,			
190, 191, 192,			
193, 195, 213,			
218, 219, 223,			
224, 225, 226,			
227, 228, 246,			
252, 253, 257,			
258, 268, 272,			
273, 283, 304,			
305, 318, 368, 372			
<code>\endgroup</code> 98, 197, 214,			
247, 306, 320, 377			
<code>\errmessage</code>	96		
<code>\expandafter</code> 87,			
103, 104, 145,			
146, 148, 149,			
182, 183, 184,			
F			
<code>\fi</code>	13, 83,		
89, 97, 150, 189,			
196, 229, 244,			
263, 269, 270,			
278, 284, 285,			
336, 362, 375,			
395, 408, 412, 413			
G			
<code>\gdef</code>	227, 228, 373		
<code>\global</code>	223,		
225, 237, 243,			
348, 349, 359, 361			
H			
<code>\hbox</code>	246		
<code>\Hy@backout</code>			
. 352, 381, 387, 390			
<code>\hyper@natlinkstart</code> . 352			
<code>\hyper@page@backref</code>			
..... 19, 32			
<code>\hyper@section@backref</code>			
..... 18, 29			
<code>\hyperlink</code>	18, 19		
I			
<code>\if</code>	251		
<code>\if@filesw</code>	366		
<code>\ifbackrefparscan</code> 140, 144			
<code>\ifBR@BackrefAlt</code> 142,			
185, 222, 256, 271			
<code>\ifBR@enable</code>	392		
<code>\ifBR@verbose</code> . 393, 410			
<code>\ifHy@verbose</code>	13		
<code>\ifnum</code>	259, 274		
<code>\iftrue</code>	13		
<code>\ifx</code>	13, 81,		
84, 95, 186, 218,			
242, 334, 358, 396			
<code>\immediate</code> ... 372, 421			
J			
<code>\jobname</code> .. 365, 372, 418			
K			
<code>\kvsetkeys</code>	8		

L			
<code>\let</code>	22, 26, 29, 32, 82, 153, 158, 177, 201, 204, 208, 223, 225, 232, 236, 237, 243, 248, 301, 302, 317, 340, 341, 342, 348, 349, 384	<code>\PackageInfo</code>	354, 394, 411
<code>\long</code>	16, 17, 18, 19, 238	<code>\page@backref</code>	16, 22
<code>\ltx@ifundefined</code>	10	<code>\par</code>	152, 157, 198, 200
M		<code>\ProcessKeyvalOptions</code>	129
<code>\makeatletter</code>	364	<code>\protect</code>	220, 254, 264, 279, 300
<code>\MessageBreak</code>	173	<code>\protected@write</code>	397, 403
N		<code>\protected@xdef</code>	219, 252, 257, 272
<code>\newblock</code>	179, 200	<code>\providecommand</code>	182, 183
<code>\newcommand</code>	8	R	
<code>\newif</code>	140, 142	<code>\relax</code>	81, 95, 218, 248, 266, 281, 372
<code>\newwrite</code>	368	<code>\RequirePackage</code>	2, 3, 416
<code>\noexpand</code>	95, 97, 99, 100, 215, 260, 262, 275, 277, 323	<code>\RerunFileCheck</code>	418
O		<code>\reserved@a</code>	233, 242
<code>\openout</code>	372	<code>\reserved@b</code>	239, 242
P		S	
<code>\PackageError</code>	171	<code>\section@backref</code>	17, 26
		<code>\setbox</code>	246
		<code>\SetupKeyvalOptions</code>	4
		<code>\space</code>	172
		<code>\string</code>	172, 174, 394, 398, 399, 404, 405, 411
		T	
		<code>\tf@brf</code>	421
		<code>\tf@brf@open</code>	373
		<code>\the</code>	85, 88, 268, 283, 292, 295, 298, 305, 322, 324, 325
		<code>\thebibliography</code>	342, 343
		<code>\thepage</code>	399, 405
		<code>\toks</code>	319, 324
		<code>\toks@</code>	87, 88, 90, 290, 292, 295, 298, 305, 321, 322
		<code>\tw@</code>	319, 324
		X	
		<code>\x</code>	94, 103, 211, 214, 215, 217, 218, 219, 223, 224, 225, 226, 227, 228, 246, 252, 253, 257, 258, 259, 266, 268, 272, 273, 274, 281, 283, 320, 328
		<code>\xdef</code>	268, 283, 305
		Z	
		<code>\z@</code>	313