Supplemental Arrows-C

Range: 1F800-1F8FF

DRAFT The Unicode Standard, Version 16.0 BETA REVIEW

This file contains an excerpt from the character code tables and list of character names for *DRAFT The Unicode Standard, Version 16.0 BETA REVIEW*

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See https://www.unicode.org/charts/PDF/Unicode-15.1/ for charts showing only the characters added in Unicode 15.1. See https://www.unicode.org/Public/15.1.0/charts/ for a complete archived file of character code charts for Unicode 15.1. See https://www.unicode.org/charts/About.html#Conventions for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 15.1 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 15.1, online at https://www.unicode.org/versions/Unicode15.1.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See https://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use


You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See https://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.
See https://www.unicode.org/charts/About.html for more information concerning the conventions and symbols used in these code charts.

Copyright © 1991-2023 Unicode, Inc. All rights reserved. See https://www.unicode.org/copyright.html



Arrows with triangle arrowheads

- 1F800 ← LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F801 1 UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F802 → RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F804 ← LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F805 ↑ UPWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F806 → RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F807 ↓ DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F808 ← LEFTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
- 1F80A → RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
- 1F80B ◆ DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

Arrows with equilateral triangle arrowheads

- 1F810 ← LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F812 → RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F814 ← LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F815 † UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F816 → RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F817 ↓ DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F818 ← HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F819 † HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81A → HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81C ← HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81D ★ HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81E → HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81F ★ HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

Triangle headed arrows with different shaft weights

- 1F820 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F821 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F822 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT

- 1F823 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F824 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F826 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F827 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F828 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F829 **†** UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82A → RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82B

 DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82C LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82D 1 UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82E → RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82F

 DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F830 LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F831 **1** UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F832 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F833 UDOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

Finger-post arrows

- 1F834 **LEFTWARDS FINGER-POST ARROW**
- 1F836 ► RIGHTWARDS FINGER-POST ARROW
- 1F837 DOWNWARDS FINGER-POST ARROW

Squared arrows

- 1F838 LEFTWARDS SQUARED ARROW
- 1F839 UPWARDS SQUARED ARROW
- 1F83A RIGHTWARDS SQUARED ARROW
- 1F83B ▼ DOWNWARDS SQUARED ARROW

Compressed arrows

- 1F83E ▶ RIGHTWARDS COMPRESSED ARROW
- 1F83F DOWNWARDS COMPRESSED ARROW
- 1F841 UPWARDS HEAVY COMPRESSED ARROW
- 1F842 ► RIGHTWARDS HEAVY COMPRESSED ARROW

 → 27A7 ► squat black rightwards arrow
- 1F843 **▼** DOWNWARDS HEAVY COMPRESSED ARROW

Heavy arrows

- 1F844 ← LEFTWARDS HEAVY ARROW
- 1F845 **1** UPWARDS HEAVY ARROW
- 1F846 → RIGHTWARDS HEAVY ARROW
- 1F847 **▼** DOWNWARDS HEAVY ARROW

Sans-serif arrows

1F850 ← LEFTWARDS SANS-SERIF ARROW → 2190 ← leftwards arrow

1F851	1	UPWARDS SANS-SERIF ARROW
		→ 2191 ↑ upwards arrow
1F852	\rightarrow	RIGHTWARDS SANS-SERIF ARROW
		→ 2192 → rightwards arrow
1F853	Ţ	DOWNWARDS SANS-SERIE ARROW
11 000	•	
		→ 2193 ↓ downwards arrow
1F854	~	NORTH WEST SANS-SERIF ARROW
		→ 2196 north west arrow
1F855	7	NORTH EAST SANS-SERIF ARROW
		2107 7 morth aget arrays
		→ 2197 / north east arrow
1F856	7	SOUTH EAST SANS-SERIF ARROW
		→ 2198 \ south east arrow
1F857	4	SOUTH WEST SANS-SERIF ARROW
		→ 2199 / south west arrow
1F858	\leftrightarrow	-
11000		LEFT RIGHT SANS-SERIF ARROW
		→ 2194 ↔ left right arrow
1F859	\$	UP DOWN SANS-SERIF ARROW
		2105 1 up down arrow
		→ 2195 ‡ up down arrow

Wide-headed barb arrows

1F860	\leftarrow	WIDE-HEADED LEFTWARDS LIGHT BARB
		ARROW

- 1F861

 WIDE-HEADED UPWARDS LIGHT BARB ARROW
- 1F862 → WIDE-HEADED RIGHTWARDS LIGHT BARB ARROW
- 1F864 NWIDE-HEADED NORTH WEST LIGHT BARB ARROW
- 1F865 7 WIDE-HEADED NORTH EAST LIGHT BARB ARROW
- 1F866 UMDE-HEADED SOUTH EAST LIGHT BARB ARROW
- 1F867 ∠ WIDE-HEADED SOUTH WEST LIGHT BARB ARROW
- 1F868 ← WIDE-HEADED LEFTWARDS BARB ARROW
- 1F86A → WIDE-HEADED RIGHTWARDS BARB ARROW
- 1F86B $\,\,ullet$ wide-headed downwards barb arrow
- 1F86C K WIDE-HEADED NORTH WEST BARB ARROW
- 1F86D 7 WIDE-HEADED NORTH EAST BARB ARROW
- 1F86E 😕 WIDE-HEADED SOUTH EAST BARB ARROW
- 1F86F ∠ WIDE-HEADED SOUTH WEST BARB ARROW
- 1F870 ← WIDE-HEADED LEFTWARDS MEDIUM BARB ARROW
- 1F872 → WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW
 - → 2794 → heavy wide-headed rightwards arrow
- 1F874 WIDE-HEADED NORTH WEST MEDIUM BARB ARROW
- 1F875 **7** WIDE-HEADED NORTH EAST MEDIUM BARB ARROW
- 1F876 WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW
- 1F877 WIDE-HEADED SOUTH WEST MEDIUM BARB ARROW
- 1F878 ← WIDE-HEADED LEFTWARDS HEAVY BARB ARROW

- 1F87A → WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW
- 1F87B WIDE-HEADED DOWNWARDS HEAVY BARB ARROW
- 1F87C NUIDE-HEADED NORTH WEST HEAVY BARB ARROW
- 1F87D **7** WIDE-HEADED NORTH EAST HEAVY BARB ARROW
- 1F87E WIDE-HEADED SOUTH EAST HEAVY BARB ARROW
- 1F880 WIDE-HEADED LEFTWARDS VERY HEAVY BARB ARROW
- 1F882 → WIDE-HEADED RIGHTWARDS VERY HEAVY BARB ARROW
- 1F883 ♥ WIDE-HEADED DOWNWARDS VERY HEAVY BARB ARROW
- 1F884 WIDE-HEADED NORTH WEST VERY HEAVY BARB ARROW
- 1F885 **7** WIDE-HEADED NORTH EAST VERY HEAVY BARB ARROW
- 1F886 WIDE-HEADED SOUTH EAST VERY HEAVY BARB ARROW
- 1F887 WIDE-HEADED SOUTH WEST VERY HEAVY BARB ARROW

Arrowheads

- 1F890 · LEFTWARDS TRIANGLE ARROWHEAD
- 1F891 UPWARDS TRIANGLE ARROWHEAD
- 1F892 > RIGHTWARDS TRIANGLE ARROWHEAD
- 1F893 DOWNWARDS TRIANGLE ARROWHEAD
- 1F894 4 LEFTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F895 LUPWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F896 > RIGHTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F897 OOWNWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD

Notched arrows

- 1F898 **LEFTWARDS ARROW WITH NOTCHED TAIL**
- 1F899 UPWARDS ARROW WITH NOTCHED TAIL
- 1F89A → RIGHTWARDS ARROW WITH NOTCHED TAIL

 → 27AF ➡ notched lower right-shadowed
 white rightwards arrow
- 1F89B # DOWNWARDS ARROW WITH NOTCHED TAIL

Heavy arrow shafts

The vertical alignment and thickness of this set are compatible with heavy shaft arrows.

- 1F89C HEAVY ARROW SHAFT WIDTH ONE
- 1F89D HEAVY ARROW SHAFT WIDTH TWO THIRDS
- 1F89E HEAVY ARROW SHAFT WIDTH ONE HALF
- 1F89F · HEAVY ARROW SHAFT WIDTH ONE THIRD

Shaded white arrows

- 1F8A0 ← LEFTWARDS BOTTOM-SHADED WHITE ARROW
- 1F8A1

 RIGHTWARDS BOTTOM SHADED WHITE ARROW
- 1F8A2 LEFTWARDS TOP SHADED WHITE ARROW
- 1F8A3

 ⇒ RIGHTWARDS TOP SHADED WHITE ARROW
- 1F8A4 ← LEFTWARDS LEFT-SHADED WHITE ARROW

- 1F8A5 ⇒ RIGHTWARDS RIGHT-SHADED WHITE ARROW
 - \rightarrow 27A9 \Rightarrow right-shaded white rightwards arrow
- 1F8A6 ← LEFTWARDS RIGHT-SHADED WHITE ARROW
- 1F8A7 ⇒ RIGHTWARDS LEFT-SHADED WHITE ARROW

 → 27AA ⇔ left-shaded white rightwards arrow
- 1F8A8 ← LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
- 1F8A9

 RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
 - → 27AB → back-tilted shadowed white rightwards arrow
- 1F8AA ← LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
- 1F8AB ⇔ RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
 - → 27AC ⇒ front-tilted shadowed white rightwards arrow

White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

- 1F8AC U WHITE ARROW SHAFT WIDTH ONE
- 1F8AD WHITE ARROW SHAFT WIDTH TWO THIRDS

Arrows for legacy computing

- 1F8B0 **\(\bar{\bar} \)** ARROW POINTING UPWARDS THEN NORTH WEST
- 1F8B1 **2** ARROW POINTING RIGHTWARDS THEN CURVING SOUTH WEST
- 1F8B2 → RIGHTWARDS ARROW WITH LOWER HOOK
- 1F8B3 ➡ DOWNWARDS BLACK ARROW TO BAR
- 1F8B4 NEGATIVE SQUARED LEFTWARDS ARROW
- 1F8B5 NEGATIVE SQUARED UPWARDS ARROW
- 1F8B6 NEGATIVE SQUARED RIGHTWARDS ARROW
- 1F8B7 **W** NEGATIVE SQUARED DOWNWARDS ARROW
- 1F8B8 🦴 NORTH WEST ARROW FROM BAR
- 1F8B9 🗸 NORTH EAST ARROW FROM BAR
- 1F8BA 🖒 SOUTH EAST ARROW FROM BAR
- 1F8BB 🖍 SOUTH WEST ARROW FROM BAR

Arrows for Egyptology

- 1F8C0 LEFTWARDS ARROW FROM DOWNWARDS ARROW
 - indicates writing in columns, hieroglyphs facing left (reading direction LTR)
- 1F8C1

 → RIGHTWARDS ARROW FROM DOWNWARDS ARROW
 - indicates writing in columns, hieroglyphs facing right (reading direction RTL)