## Miscellaneous Mathematical Symbols-B Range: 2980–29FF

#### DRAFT The Unicode Standard, Version 16.0 BETA REVIEW

This file contains an excerpt from the character code tables and list of character names for DRAFT The Unicode Standard, Version 16.0 BETA REVIEW

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard. *See https://www.unicode.org/errata/ for an up-to-date list of errata.* 

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See https://www.unicode.org/charts/PDF/Unicode-15.1/ for charts showing only the characters added in Unicode 15.1. See https://www.unicode.org/Public/15.1.0/charts/ for a complete archived file of character code charts for Unicode 15.1. See https://www.unicode.org/charts/About.html#Conventions for conventions used in these code charts, and other general information.

#### Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 15.1 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 15.1, online at https://www.unicode.org/versions/Unicode15.1.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

#### See https://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

### Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

#### See https://www.unicode.org/charts/fonts.html for a list.

#### **Terms of Use**

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

#### See https://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html. See https://www.unicode.org/charts/About.html for more information concerning the conventions and symbols used in these code charts.

Copyright © 1991-2023 Unicode, Inc. All rights reserved. See https://www.unicode.org/copyright.html

	298	299	29A	29B	29C	29D	29E	29F
0	2980	<b>]</b> 2990	29A0	Q 29B0	29C0	29D0	29E0	<b>2</b> 9F0
1	<b>9</b> 2981	<b>4</b> 2991	<b>∀</b> 29A1	Ø 29B1	29C1	29D1	<b>2</b> 9E1	29F1
2	<b>0</b> 2982	<b>)</b> 2992	<b>7</b> 29A2	<b>Å</b> 29B2	<b>Oo</b> 29C2	29D2	29E2	<b>D</b> <sub>29F2</sub>
3	{[ 2983	<b>4</b> 2993	<b>2</b> 9A3	<b>Ö</b> 29B3	O=	29D3	# 29E3	99F3
4	]} 2984	<b>≯</b> 2994	<u></u> 29A4	₩ 29B4	29C4	29D4	₩ 29E4	•→ 29F4
5	<b>(</b> 2985	2995	29A5	985	29C5	29D5	<b>#</b> 29E5	29F5
6	<b>)</b> 2986	<b>2</b> 996	29A6	Ф 29В6	29C6	29D6	29E6	<b>7</b> 29F6
7	<b>(</b> 2987	2997	29A7	() 29B7	<b>O</b> 29C7	29D7	29E7	<b>↓</b> 29F7
8	<b>)</b> 2988	2998	<b>2</b> 9A8	29B8	29C8	<b>8</b> 29D8	29E8	29F8
9	<b>4</b> 2989	2999	<b>ک</b> 29A9	() 29B9	29C9	<b>&amp;</b> 29D9	29E9	29F9
A	<b>)</b> 298A	<b>8</b> 299A	<b>2</b> 9AA	98A	29CA	<b>***</b> 29DA	29EA	<b>+++</b> 29FA
В	<b>_</b> 298B	<b>ک</b> 299B	<b>2</b> 9AB	29BB	29CB	<b>***</b> 29DB	<b>4</b> 29EB	<b>##</b> 29FB
С	<b>]</b> 298C	<b>4</b> 299C	<b>1</b> 29AC	29BC	<u>29CC</u>	<b>2</b> 9DC	Q 29EC	<b>4</b> 29FC
D	298D	299D	<b>X</b> 29AD	( 29BD	29CD	29DD	9ED	> 29FD
E	<b>]</b> 298E	<b>2</b> 99E	<b>2</b> 9AE	0 29BE	29CE	29DE	<b>H</b> 29EE	<b>+</b> 29FE
F	298F	<b>2</b> 99F	A 29AF	29BF	<b>2</b> 9CF	<b>0—0</b> 29DF	29EF	29FF

Misce	llan	eous mathematical symbols	299C	Ł	RIGHT ANGLE VARIANT WITH SQUARE
2980		TRIPLE VERTICAL BAR DELIMITER			$\rightarrow$ 221F $\square$ right angle
		$\rightarrow$ 2AF4     triple vertical bar binary relation	299D	Ь	MEASURED RIGHT ANGLE WITH DOT
		$\rightarrow$ 2AFC $\parallel \mid$ large triple vertical bar operator	299E	⊿	ANGLE WITH S INSIDE
2981	٠	Z NOTATION SPOT	299F	2	ACUTE ANGLE
		<ul> <li>medium-small-sized black circle</li> </ul>			→ 2220 ∠ angle
		$\rightarrow$ 2219 • bullet operator	29A0	⊳	SPHERICAL ANGLE OPENING LEFT
		$\rightarrow$ 25CF $\bullet$ black circle			$\rightarrow$ 2222 $\triangleleft$ spherical angle
2982	8	Z NOTATION TYPE COLON	29A1	4	SPHERICAL ANGLE OPENING UP
		$\rightarrow$ 0F7F $^{\circ}$ tibetan sign rnam bcad	29A2	7	TURNED ANGLE
Brack	ets				→ 2220 ∠ angle
2983	}	LEFT WHITE CURLY BRACKET	29A3	$\geq$	REVERSED ANGLE
2984	u  }	RIGHT WHITE CURLY BRACKET	29A4	$\leq$	ANGLE WITH UNDERBAR
2985	U (	LEFT WHITE PARENTHESIS	29A5	$\geq$	REVERSED ANGLE WITH UNDERBAR
2000	l	$\rightarrow$ 2E28 (( left double parenthesis	29A6	$\sim$	OBLIQUE ANGLE OPENING UP
		$\rightarrow$ FF5F ((fullwidth left white parenthesis	29A7		OBLIQUE ANGLE OPENING DOWN
2986	)	RIGHT WHITE PARENTHESIS	29A8	4	MEASURED ANGLE WITH OPEN ARM ENDING
2000	y	• used for Bourbakist intervals	0040	_	IN ARROW POINTING UP AND RIGHT
		$\rightarrow$ 2E29 )) right double parenthesis	29A9	Å	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND LEFT
		$\rightarrow$ FF60 ) fullwidth right white parenthesis	29AA	A	MEASURED ANGLE WITH OPEN ARM ENDING
2987	0	Z NOTATION LEFT IMAGE BRACKET	2377	3	IN ARROW POINTING DOWN AND RIGHT
2988	Ď	Z NOTATION RIGHT IMAGE BRACKET	29AB	Y	MEASURED ANGLE WITH OPEN ARM ENDING
2989	Á	Z NOTATION LEFT BINDING BRACKET	20/12	-	IN ARROW POINTING DOWN AND LEFT
298A	Ď	Z NOTATION RIGHT BINDING BRACKET	29AC	М	MEASURED ANGLE WITH OPEN ARM ENDING
298B	Ĺ	LEFT SQUARE BRACKET WITH UNDERBAR			IN ARROW POINTING RIGHT AND UP
298C	j	RIGHT SQUARE BRACKET WITH UNDERBAR	29AD	₽4	MEASURED ANGLE WITH OPEN ARM ENDING
Brack	ets v	with ticks	0045		IN ARROW POINTING LEFT AND UP
		tional processing, the brackets with ticks are paired	29AE	₽.	MEASURED ANGLE WITH OPEN ARM ENDING
on the	hasi	s of their left/right symmetric glyphs, rather than	29AF	4	IN ARROW POINTING RIGHT AND DOWN MEASURED ANGLE WITH OPEN ARM ENDING
		s of an open/close pairing inferred from code point	ZJAI	14	IN ARROW POINTING LEFT AND DOWN
order.			<b>F</b>		
		LEFT SOUARE BRACKET WITH TICK IN TOP	Empt	-	ts
order. 298D		LEFT SQUARE BRACKET WITH TICK IN TOP CORNER	<b>Empt</b> 29B0	y set Q	t <b>s</b> REVERSED EMPTY SET
		CORNER RIGHT SQUARE BRACKET WITH TICK IN	-	-	ts REVERSED EMPTY SET → 2205 Ø empty set
298D 298E	]	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER	29B0	Ø	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Ø apl functional symbol circle backslash
298D	Ľ	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM	29B0 29B1	Ø	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Ø apl functional symbol circle backslash EMPTY SET WITH OVERBAR
298D 298E 298F	[ ] [	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER	29B0 29B1 29B2	Ø Ø	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE
298D 298E	]	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP	29B0 29B1 29B2 29B3	Q Q Q Q	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE
298D 298E 298F 2990	[ ] ]	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER	29B0 29B1 29B2 29B3 29B4	Ø Ø Ø Ø Ø Ø	REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE
298D 298E 298F	[ ] ]	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP	29B0 29B1 29B2 29B3 29B4 <b>Circle</b>		ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Hobols
298D 298E 298F 2990 <b>Brack</b> 2991	[ ] [ ] xets {	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT	29B0 29B1 29B2 29B3 29B4 <b>Circle</b>		ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Ø apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Hobols CIRCLE WITH HORIZONTAL BAR
298D 298E 298F 2990 <b>Brack</b> 2991 2992	[ ] [ ]	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER	29B0 29B1 29B2 29B3 29B4 <b>Circle</b>		ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Hobols CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard
298D 298E 298F 2990 <b>Brack</b> 2990 2991 2992 2993	[ ] [ ] xets {	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET	29B0 29B1 29B2 29B3 29B4 <b>Circle</b>		ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE hbols CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry)
298D 298E 298F 2990 <b>Brack</b> 2990 2991 2992 2993 2994	[ ] [ ] xets { }	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5	Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Ø apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE hbols CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 ⊖ circled minus
298D 298E 298F 2990 <b>Brack</b> 2990 2991 2992 2993 2994 2995	[ ] [ ] \$eets {} } \$	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET	29B0 29B1 29B2 29B3 29B4 <b>Circle</b>		ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Ø apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Nbols CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 ⊖ circled minus CIRCLED VERTICAL BAR
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996	[ ] [ ] *æts {} } * * *	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6	∞ Ø Ø Ø Ø Ø Ø Ø Ø	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 $\bigcirc$ apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE STANDARD SET WITH LEFT ARROW ABOVE NBOIS CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 ⊖ circled minus CIRCLED VERTICAL BAR → 1F715 ① alchemical symbol for nitre
298D 298E 298F 2990 <b>Brack</b> 2990 2991 2992 2993 2994 2995	[ ] [ ] \$eets {} } \$	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET LEFT BLACK TORTOISE SHELL BRACKET	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7	<ul> <li>∞</li> <li>∞</li></ul>	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 $\bigcirc$ apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE STANDARD SET WITH LEFT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE SCIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 $\ominus$ circled minus CIRCLED VERTICAL BAR → 1F715 $\bigcirc$ alchemical symbol for nitre CIRCLED PARALLEL
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996	[ ] [ ] *æts {} } * * *	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET LEFT BLACK TORTOISE SHELL BRACKET → 27EC ( mathematical left white tortoise shell	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8	<ul> <li>∞</li> <li>∞</li></ul>	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 $\bigcirc$ apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Mbols CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 $\ominus$ circled minus CIRCLED VERTICAL BAR → 1F715 $\bigcirc$ alchemical symbol for nitre CIRCLED PARALLEL CIRCLED REVERSE SOLIDUS
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996	[ ] [ ] *æts {} } * * *	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET LEFT BLACK TORTOISE SHELL BRACKET → 27EC (mathematical left white tortoise shell bracket	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9	<ul> <li>∞</li> <li>∞</li></ul>	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Ø apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Thools CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 ⊖ circled minus CIRCLED VERTICAL BAR → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED REVERSE SOLIDUS CIRCLED PERPENDICULAR
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996	[ ] [ ] *æts {} } * * *	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET → 27EC ( mathematical left white tortoise shell bracket → 3014 [ left tortoise shell bracket	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8	<ul> <li>∞</li> <li>∞</li></ul>	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Ø apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Thools CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 ⊖ circled minus CIRCLED VERTICAL BAR → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED REVERSE SOLIDUS CIRCLED PERPENDICULAR CIRCLED DIVIDED BY HORIZONTAL BAR AND
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997	[ ] [] sets {} *** *	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ [ left tortoise shell bracket $\rightarrow 3018$ [ left white tortoise shell bracket	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA	<ul> <li>∞</li> <li>∞</li></ul>	<pre>ts REVERSED EMPTY SET   → 2205 Ø empty set   → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Inbols CIRCLE WITH HORIZONTAL BAR   • used in superscripted form to mean standard   state (chemistry)   → 2296 ⊖ circled minus CIRCLED VERTICAL BAR   → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED REVERSE SOLIDUS CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR</pre>
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998	[ ] ] eets ? ? > ≫ ≫ ≫ ( )	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET → 27EC ( mathematical left white tortoise shell bracket → 3014 [ left tortoise shell bracket	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9	<ul> <li>∞</li> <li>∞</li></ul>	<pre>ts REVERSED EMPTY SET   → 2205 Ø empty set   → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Inbols CIRCLE WITH HORIZONTAL BAR   • used in superscripted form to mean standard   state (chemistry)   → 2296 ⊖ circled minus CIRCLED VERTICAL BAR   → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED PERPENDICULAR CIRCLED DEVERSE SOLIDUS CIRCLED VERTICAL BAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR CIRCLE WITH SUPERIMPOSED X</pre>
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998 <b>Fence</b>	[ ] [] ( ) ( ) ( ) ( ) ( ) ()	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET RIGHT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ [ left tortoise shell bracket $\rightarrow 3018$ [ left white tortoise shell bracket	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA 29BB	<ul> <li>∞</li> <li>∞</li></ul>	<pre>ts REVERSED EMPTY SET   → 2205 Ø empty set   → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE BMDIs CIRCLE WITH HORIZONTAL BAR   • used in superscripted form to mean standard   state (chemistry)   → 2296 ⊖ circled minus CIRCLED VERTICAL BAR   → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED REVERSE SOLIDUS CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR</pre>
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998	[ ] ] eets ? ? > ≫ ≫ ≫ ( )	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ [ left tortoise shell bracket $\rightarrow 3018$ [] left white tortoise shell bracket RIGHT BLACK TORTOISE SHELL BRACKET DOTTED FENCE	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA	<ul> <li>∞</li> <li>∞</li></ul>	<pre>ts REVERSED EMPTY SET   → 2205 Ø empty set   → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE BMDIs CIRCLE WITH HORIZONTAL BAR   • used in superscripted form to mean standard   state (chemistry)   → 2296 ⊖ circled minus CIRCLED VERTICAL BAR   → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED PERPENDICULAR CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR   CIRCLE WITH SUPERIMPOSED X   → 2297 ⊗ circled times</pre>
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998 <b>Fence</b> 2999	[ ] [] \$eets () } ≯ ≯ ≫ ≫ ( ) ess ::	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ (left tortoise shell bracket $\rightarrow 3018$ (left white tortoise shell bracket <b>RIGHT BLACK TORTOISE SHELL BRACKET</b> DOTTED FENCE • four close dots vertical	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA 29BB 29BB 29BC 29BD	<ul> <li>∞</li> <li>∞</li></ul>	REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH SMALL CIRCLE ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE ABOOS CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 ⊖ circled minus CIRCLED VERTICAL BAR → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED PERPENDICULAR CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR CIRCLE WITH SUPERIMPOSED X → 2297 ⊗ circled times CIRCLED ANTICLOCKWISE-ROTATED DIVISION
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998 <b>Fence</b>	[ ] [] ( ) ( ) ( ) ( ) ( ) ()	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ (left tortoise shell bracket $\rightarrow 3018$ (left white tortoise shell bracket <b>RIGHT BLACK TORTOISE SHELL BRACKET</b> DOTTED FENCE • four close dots vertical VERTICAL ZIGZAG LINE	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA 29BB 29BB	<ul> <li>∞</li> <li>∞</li></ul>	<pre>ts REVERSED EMPTY SET   → 2205 Ø empty set   → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH OVERBAR EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE BMDTS CIRCLE WITH HORIZONTAL BAR   • used in superscripted form to mean standard   state (chemistry)   → 2296 ⊖ circled minus CIRCLED VERTICAL BAR   → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED PARALLEL CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR CIRCLE WITH SUPERIMPOSED X   → 2297 ⊗ circled times CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN UP ARROW THROUGH CIRCLE CIRCLED WHITE BULLET</pre>
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998 <b>Fence</b> 2999	[ ] [] \$eets () } ≯ ≯ ≫ ≫ ( ) ess ::	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ (left tortoise shell bracket $\rightarrow 3018$ (left white tortoise shell bracket <b>RIGHT BLACK TORTOISE SHELL BRACKET</b> DOTTED FENCE • four close dots vertical	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA 29BB 29BB 29BC 29BD	<ul> <li>∞</li> <li>∞</li></ul>	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH OVERBAR EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Thools CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 $\ominus$ circled minus CIRCLED VERTICAL BAR → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED PARALLEL CIRCLED PERPENDICULAR CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR CIRCLE WITH SUPERIMPOSED X → 2297 ⊗ circled times CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN UP ARROW THROUGH CIRCLE CIRCLED WHITE BULLET → 229A ⓒ circled ring operator
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998 <b>Fence</b> 2999	[ ] [] sets () * * * * * * () ) es ::	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ (left tortoise shell bracket $\rightarrow 3018$ (left white tortoise shell bracket <b>RIGHT BLACK TORTOISE SHELL BRACKET</b> DOTTED FENCE • four close dots vertical VERTICAL ZIGZAG LINE	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA 29BB 29BB 29BC 29BD	<ul> <li>∞</li> <li>∞</li></ul>	<pre>ts REVERSED EMPTY SET   → 2205 Ø empty set   → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH OVERBAR EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE BMDTY SET WITH LEFT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE BMDTY SET WITH SUPERIATION CIRCLED PERPENDICULAR CIRCLED PERPENDICULAR CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR CIRCLE DIVIDED BY VERTICAL BAR CIRCLE WITH SUPERIMPOSED X   → 2297 ⊗ circled times CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN UP ARROW THROUGH CIRCLE CIRCLED WHITE BULLET   → 229A ③ circled ring operator   → 233E ③ apl functional symbol circle jot </pre>
298D 298E 298F 2990 <b>Brack</b> 2991 2992 2993 2994 2995 2996 2997 2998 <b>Fence</b> 2999 299A	[ ] [] sets () * * * * * * () ) es ::	CORNER RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER LEFT ANGLE BRACKET WITH DOT RIGHT ANGLE BRACKET WITH DOT LEFT ARC LESS-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE LEFT ARC GREATER-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET DOUBLE RIGHT ARC LESS-THAN BRACKET $\rightarrow 27EC$ (mathematical left white tortoise shell bracket $\rightarrow 3014$ (left tortoise shell bracket $\rightarrow 3018$ (left white tortoise shell bracket <b>RIGHT BLACK TORTOISE SHELL BRACKET</b> DOTTED FENCE • four close dots vertical VERTICAL ZIGZAG LINE	29B0 29B1 29B2 29B3 29B4 <b>Circle</b> 29B5 29B6 29B7 29B8 29B9 29BA 29BB 29BB 29BC 29BD	<ul> <li>∞</li> <li>∞</li></ul>	ts REVERSED EMPTY SET → 2205 Ø empty set → 2349 Q apl functional symbol circle backslash EMPTY SET WITH OVERBAR EMPTY SET WITH OVERBAR EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH RIGHT ARROW ABOVE EMPTY SET WITH LEFT ARROW ABOVE Thools CIRCLE WITH HORIZONTAL BAR • used in superscripted form to mean standard state (chemistry) → 2296 $\ominus$ circled minus CIRCLED VERTICAL BAR → 1F715 ① alchemical symbol for nitre CIRCLED PARALLEL CIRCLED PARALLEL CIRCLED PERPENDICULAR CIRCLED PERPENDICULAR CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR CIRCLE WITH SUPERIMPOSED X → 2297 ⊗ circled times CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN UP ARROW THROUGH CIRCLE CIRCLED WHITE BULLET → 229A ⓒ circled ring operator

29BF	۲	<ul> <li>CIRCLED BULLET</li> <li>forms part of a graduated set of circles with enclosed black circle of different sizes</li> <li>→ 2299 ⊙ circled dot operator</li> <li>→ 25C9 ● fisheye</li> </ul>	29DD 29DE 29DF
29C0 29C1	(S)	$\rightarrow 2400 \bigcirc \text{ n-ary circled dot operator}$ CIRCLED LESS-THAN CIRCLED GREATER-THAN	29E0
29C2 29C3	© 0≏		29E1
Squar	e sy	mbols	29E2
29C4	$\square$	SQUARED RISING DIAGONAL SLASH	
29C5		→ 2341 $\square$ apl functional symbol quad slash → 303C $\square$ masu mark SQUARED FALLING DIAGONAL SLASH	<b>Relati</b> 29E3
29C6 29C7	*	→ 2342  apl functional symbol quad backslash SQUARED ASTERISK SQUARED SMALL CIRCLE	29E4
2907		→ 2338 $\bigcirc$ apl functional symbol quad jot SQUARED SQUARE	29E5
29C9	Ē	TWO JOINED SQUARES	
		$\rightarrow$ 2BBA $\bigoplus$ overlapping white squares	29E6
		ymbols	Misso
29CA		TRIANGLE WITH DOT ABOVE	Misce 29F7
29CB	$\Delta$	TRIANGLE WITH UNDERBAR	2901
29CC		S IN TRIANGLE	
29CD	Δ	TRIANGLE WITH SERIFS AT BOTTOM	
29CE	Þ.	$\rightarrow$ 25B3 $\triangle$ white up-pointing triangle RIGHT TRIANGLE ABOVE LEFT TRIANGLE	
29CE 29CF	⊠ ⊽	LEFT TRIANGLE ABOVE LEFT TRIANGLE	29E8
29D0		VERTICAL BAR BESIDE RIGHT TRIANGLE	
		mbols	
29D1	ысэун	BOWTIE WITH LEFT HALF BLACK	29E9
2501		$\rightarrow$ 22C8 $\bowtie$ bowtie	
29D2		BOWTIE WITH RIGHT HALF BLACK	
29D3	M	BLACK BOWTIE	29EA
		$\rightarrow$ 1FB9B $\blacktriangleright$ left and right triangular half block	29ER
29D4	K	TIMES WITH LEFT HALF BLACK $\rightarrow$ 22C9 $\ltimes$ left normal factor semidirect product	29EC
29D5	$\varkappa$	TIMES WITH RIGHT HALF BLACK	29ED
		→ 22CA 🛪 right normal factor semidirect product	Error
29D6	X	WHITE HOURGLASS	29EE
		= vertical bowtie	29EF
		= white framus	29F0
2007	-	$\rightarrow$ 231B $\blacksquare$ hourglass	29F1
29D7	X	BLACK HOURGLASS → 1FB9A X upper and lower triangular half	29F2 29F3
		block	Misce
Fence	S		29F4
29D8	}	LEFT WIGGLY FENCE	2017
		→ FE34 } presentation form for vertical wavy low line	29F5
29D9	1	RIGHT WIGGLY FENCE	
29DA	*	LEFT DOUBLE WIGGLY FENCE	
29DB	#	RIGHT DOUBLE WIGGLY FENCE	2050
Misce		eous mathematical symbols	29F6 29F7
29DC		-	2311
2000	~	= ISOtech entity & infin; → 221E $\infty$ infinity	

	29DD 29DE 29DF	°8 8	TIE OVER INFINITY INFINITY NEGATED WITH VERTICAL BAR DOUBLE-ENDED MULTIMAP $\rightarrow 22B8 \rightarrow multimap$
	29E0		→ 1F73A $\infty$ alchemical symbol for arsenic SQUARE WITH CONTOURED OUTLINE = D'Alembertian → 274F □ lower right drop-shadowed white
	29E1	₽	square INCREASES AS → 22B4 ⊴ normal subgroup of or equal to
	29E2	ш	→ 2254 $\subseteq$ normal subgroup of of equal to SHUFFLE PRODUCT → 22FF $\sqsubseteq$ z notation bag membership
	Relati	ons	
	29E3		EQUALS SIGN AND SLANTED PARALLEL
	2925	#	
-			$\rightarrow$ 0023 # number sign
h	29E4	<i>¥</i>	$\rightarrow$ 22D5 # equal and parallel to EQUALS SIGN AND SLANTED PARALLEL WITH TILDE ABOVE
	29E5	#	IDENTICAL TO AND SLANTED PARALLEL
	2020	<del>77-</del>	→ 2A68 <b>#</b> triple horizontal bar with double vertical stroke
	29E6	Ħ	GLEICH STARK
			= tautological equivalent
	Misce	llane	eous mathematical symbols
	29E7	ŧ	THERMODYNAMIC
	2021	+	= record mark
			• vertical bar crossed by two horizontals $\rightarrow 2260 \neq$ not equal to $\rightarrow 2BD2 \ddagger$ group mark
	29E8	V	DOWN-POINTING TRIANGLE WITH LEFT HALF BLACK
	29E9	V	→ 25ED ▲ up-pointing triangle with left half black DOWN-POINTING TRIANGLE WITH RIGHT HALF
	2929	v	<b>BLACK</b> $\rightarrow$ 25EE $\Delta$ up-pointing triangle with right half
			black
	29EA 29EB	<b>♥</b> ♦	BLACK DIAMOND WITH DOWN ARROW BLACK LOZENGE
	2050	$\sim$	$\rightarrow$ 25CA $\Diamond$ lozenge
	29EC	Q	WHITE CIRCLE WITH DOWN ARROW
	29ED	Ŧ	BLACK CIRCLE WITH DOWN ARROW
	Error	bar s	symbols
	29EE	Φ	ERROR-BARRED WHITE SQUARE
	29EF	Ē	ERROR-BARRED BLACK SQUARE
	29F0	ō	ERROR-BARRED WHITE DIAMOND
	29F1	÷.	ERROR-BARRED BLACK DIAMOND
	29F2	ē	ERROR-BARRED WHITE CIRCLE
	29F3	ā	ERROR-BARRED BLACK CIRCLE
	Misco	- Ilan/	eous mathematical symbols
			RULE-DELAYED
	29F4		= colon right arrow
	29F5	١	<b>REVERSE SOLIDUS OPERATOR</b> $\rightarrow 005C \setminus reverse solidus$
			$\rightarrow$ 2216 $\times$ set minus
			$\rightarrow$ 27CD $\setminus$ mathematical falling diagonal
	29F6	7	SOLIDUS WITH OVERBAR
	29F7	f	<b>REVERSE SOLIDUS WITH HORIZONTAL STROKE</b> $\rightarrow$ 2340 $\uparrow$ apl functional symbol backslash bar

## Large operators

 29F8 / BIG SOLIDUS → 2215 / division slash
 29F9 \ BIG REVERSE SOLIDUS = z notation schema hiding → 2216 \ set minus

# Specialized plus sign operators

- 29FA + DOUBLE PLUS
- 29FB # TRIPLE PLUS

## Brackets

CKET
:
ACKET
et

### Symbols used in game theory

TINY (pronounced "teenie") and MINY (pronounced "meenie") are symbols that yield infinitesimal values when applied to numbers in combinatorial game theory.

29FE + TINY

29FF - MINY $\rightarrow 2212 - minus sign$